

800 X 1600MM

800 X 1600MM



PGVT
Surface



HIGH GLOSS
Surface



DARK HIGH GLOSS
Surface



CARVING
Surface



FROST
Surface



Suitable 
APPLICATIONS


**Technical
DETAILS**

PGVT Surface

Polished Glazed Glossy Tile That's
Non Textured, Reflective, Stain Resistance,
Low Maintenance & Economical Surface.

Arena
Dune Edl



800x1600mm

PGVT

Endless
3 Random

Bosco
Grey Edl



800x1600mm

PGVT

Endless
3 Random

Classic
Carara Edl



800x1600mm

PGVT

Endless
3 Random

Fether
Natural Edl



800x1600mm

PGVT

Endless
3 Random

Pietra
Beige



800x1600mm

PGVT

3 Random

Seffone
River Edl




800x1600mm

PGVT

Endless
3 Random

Crema
Marfil



800x1600mm

PGVT

6 Random

Sand
White



800x1600mm

PGVT

5 Random

Sand
Crema



800x1600mm

PGVT

5 Random

Burberry
Beige



800x1600mm

PGVT

5 Random

Armani
Crema



800x1600mm

PGVT

4 Random

Calacatta
Oro



800x1600mm

PGVT

4 Random

Costa
Natural



800x1600mm

PGVT

3 Random

Florito



800x1600mm

PGVT

5 Random

Peitra
Bianco



800x1600mm

PGVT

3 Random

Victoria



800x1600mm

PGVT

8 Random

Artic
White



800x1600mm

PGVT

3 Random

Ember
White




800x1600mm


PGVT

3 Random

Plain
White



800x1600mm



PGVT

HIGH GLOSS Surface

Light Colour Design Created On A
Super White Backdrop With Extra Clear
Top Glaze Achieving Extreme Sharpness and
Clarity Of The Details.

Galaxy
Grey



800x1600mm

High Gloss

6 Random

Michaelangelo
Edl



800x1600mm

High Gloss

Endless / Available in Frost
3 Random

Morgan
Moca Edl



800x1600mm

High Gloss

Endless / Available in Frost
3 Random

Spanish
Grey



800x1600mm

High Gloss

8 Random

Viena
Gold



800x1600mm

High Gloss

6 Random



800x1600mm



High Gloss

5 Random

Berlin
Natural



800x1600mm

High Gloss

5 Random

Cloudy
Onyx



800x1600mm

High Gloss

4 Random

Lasa
Bianco



800x1600mm

High Gloss

5 Random

Imperial
White Edl



800x1600mm

High Gloss

Endless
4 Random

Iris
Bianco



800x1600mm

High Gloss

6 Random

Mystone
Bianco Edl



800x1600mm

High Gloss

Endless
4 Random

DARK HIGH GLOSS

Surface

Mirror Like Reflections Visible On Designs Curated In Dark Colours. Depth & Sharpness In Printing Gives Rich & Extremely Reflective Gloss Visibility.

Calacatta
Black




800x1600mm



Dark High Gloss

6 Random

Morgan
Grey Edl




800x1600mm



Dark High Gloss

Endless
3 Random

Grafite
Gris



800x1600mm



Dark High Gloss

5 Random

Essenziale
Grey



800x1600mm


Dark High Gloss

Available in Frost
5 Random

Armani
Brown




800x1600mm



Dark High Gloss

5 Random

Armani
Gris




800x1600mm



Dark High Gloss

5 Random

Forest



800x1600mm



Dark High Gloss

5 Random

CARVING

Surface

Mild Shiny Carving Glitters Randomly As
If Its Scattered All Over The Textured Areas
On Precasted Raw Patchy Floors In
Classy Colour Palette Choices.

Graffiti
Dove



800x1600mm



Carving

4 Random

Graffiti
Almond



800x1600mm



Carving

4 Random

Graffiti
Grey



800x1600mm

Carving

4 Random

Cortex
Grey



800x1600mm

Carving
4 Random

Mexxo
Natural



800x1600mm

Carving

6 Random

River
Crema



800x1600mm

Carving

4 Random

FROST Surface

Dead Matt Non Reflective Smooth Surface
With Veins That Are Textured & Crafted
Using Transparent Yet Shiny Ink That's
Reflective At Certain Angles.

Grey
Armano



800x1600mm



Frost

6 Random

Linner
Grey Edl



800x1600mm

Frost

Endless
3 Random

Michaelangelo Edl



800x1600mm

Frost

Endless / Available in High Gloss
3 Random

Morgan
Moca Edl





800x1600mm

Frost

Endless / Available in High Gloss
3 Random

Essenziale
Grey



800x1600mm

Frost

Available in Dark High Gloss
5 Random

Mystone
Gris



800x1600mm

Frost

5 Random

Classic
Carara



800x1600mm

Frost

Available in PGVT
5 Random

Suitable Applications



Residential



Commercial
Building



Hotel &
Restaurant



Hospital



Airport



School &
College



Religious
Place



Mall & Super
Market



Gymnasium



Hall &
Corridor



Industry



Spa

Technical USP



Long
Durability



Hygienic
Surface



Easy to
Clean



Chemical
Resistance



Frost
Resistance



Easy
Installation



Craze
Resistance



Dimensional
Stability



Fire
Resistance



Impact
Resistance



Low Water
Absorption



Thermal
Resistance

Technical Specification

	Comparison of tiles parameters to international Standards Bib ISO-13006:2018-09				
S.No.	Characteristics	Group Bib-ISO 13006:2018-09 Nominal Size (N) N ≥ 15cm		Our Value	Method of Testing
		Whichever is less is applicable			
		%	MM		
1	Deviation in Length & width	± 0.3	± 1.0	± 1.0 mm	ISO - 10545-2
2	Deviation in Thickness	± 5.0	± 0.5	± 0.5 mm	ISO - 10545-2
3	Deviation in Straightness of sides	± 0.3	± 0.8	± 0.8 mm	ISO - 10545-2
4	Deviation in Rectangularity	± 0.3	± 1.5	± 1.5 mm	ISO - 10545-2
5	Surface Flatness				ISO - 10545-2
	a. Centre Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO - 10545-2
	b. Edge Curvature (max.)	± 0.4	± 1.8	± 1.8 mm	ISO - 10545-2
	c. Corner Warpage (max.)	± 0.4	± 1.8	± 1.8 mm	ISO - 10545-2
6	Surface Quality	A min. 95% of the tiles are to be free from visible defects		A min. 95% of the tiles are to be free from visible defects	ISO - 10545-2
7	Water Absorption	0.5% < Eb ≤ 3% Ind. Max. 3.3%		1.5 % - 3.0 %	ISO - 10545-3
8	Abrasion Resistance	Report abrasion class and cycles passed		PEI class 3 min	ISO - 10545-7
9	Modulus of Rupture N/mm2	Min. 30, Individual Min. 27		Min. 30, Individual Min. 27	ISO - 10545-4
10	Breaking Strength (in Newtons)	a. Thickness ≥ 7.5 mm, not les than 1100 b. Thickness < 7.5 mm, not less than 700		Thickness ≥ 7.5 mm, not les than 1100	ISO - 10545-4
11	Crazing Resistance	Required		4 cycle at 7.5 bar min.	ISO - 10545-11
12	Resistance to staining	Min. Class 3		Min. Class 3	ISO - 10545-14
13	Resistance to Chemical	Test method available		Resistance to specified chemicals	ISO - 10545-13
14	Moisture Expansion in millimetres per metre	Test method available		Negligible	ISO - 10545-10
15	Thermal Shock Resistance	Test method available		No damage	ISO - 10545-9

Work Size		Coverage / Box (Sq. Mtrs. / Sq. Ft.)	No. Of Tiles Per Box	Approx. Wt. / Box (Kgs.)
Dimensions (in MM)	Thickness (in MM)			
800x1600	9MM (± 0.5)	2.56 mtr / 27.55 ft	2 Pcs.	55 / 52

