



Stunning **Reflections**
for a **Perfect** sight

HIGH GLOSS | 600X1200








High Gloss SERIES

High gloss tiles are one of its kind tiles that shines and brings a luxurious gaze. The touch of glam and gloss brightens up the space, bringing out a playful and chic touch to your favourite assortment. Tiles are apt for small areas, with perfect blend of light reflections, modernity and class. They are available in various sizes and can make any space more spacious.






ATHENA BLACK
HIGH GLOSS 600X1200







ATHENA BLUE
HIGH GLOSS 600X1200



BLACK BUTY
HIGH GLOSS 600X1200




BLACK PORTORO
HIGH GLOSS 600X1200






KHOKHANI
CERAMIC PVT. LTD.



BURANT VOLCANO
HIGH GLOSS 600X1200





CHARCOAL BLACK
HIGH GLOSS 600X1200






KHOKHANI
CERAMIC PVT. LTD.




CHIPS STONE
HIGH GLOSS 600X1200






CONTESSA COBALT
HIGH GLOSS 600X1200



EMPERADOR CLASSICO
HIGH GLOSS 600X1200






ENDEAVOUR BLUE
HIGH GLOSS 600X1200






KHOKHANI
CERAMIC PVT. LTD.



EXOTIC CHOCO
HIGH GLOSS 600X1200






FANTASY BLACK
HIGH GLOSS 600X1200



FANTASY WHITE
HIGH GLOSS 600X1200





FOSSIL NERO
HIGH GLOSS 600X1200





KHOKHANI
CERAMIC PVT. LTD.



FUSION BLUE
HIGH GLOSS 600X1200







GOLD MARQUINA
HIGH GLOSS 600X1200





KHOKHANI
CERAMIC PVT. LTD.



GOLDEN PORTORO
HIGH GLOSS 600X1200




GRAFITO BLACK
HIGH GLOSS 600X1200




KHOKHANI
CERAMIC PVT. LTD.






INVISIBLE
HIGH GLOSS 600X1200





LAPIS AZURE
HIGH GLOSS 600X1200



MILANO WHITE
HIGH GLOSS 600X1200



MONTREAL POLO
HIGH GLOSS 600X1200





KHOKHANI
CERAMIC PVT. LTD.



MOON STONE
HIGH GLOSS 600X1200




NEBULA AZURE
HIGH GLOSS 600X1200









NIKOLA BROWN
HIGH GLOSS 600X1200





NOVA SAINT LORENT
HIGH GLOSS 600X1200



PERLATO BLACK
HIGH GLOSS 600X1200




SOFT CARRARA
HIGH GLOSS 600X1200






101-110
201-210
>

VARESE
陶瓷



SPIDER BLACK
HIGH GLOSS 600X1200



VINTAGE AZUL
HIGH GLOSS 600X1200



VOLGA BROWN
HIGH GLOSS 600X1200



ASCORT NAVY
HIGH GLOSS 600X1200



GLAZED PORCELAIN TILES - HIGH GLOSSY (PGVT)

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP BIa	VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	± 0.5%	± 0.1%	ISO-10545-2
Deviation in thickness	± 5.0%	± 4.0%	ISO-10545-2
Straightness in sides	± 0.5%	± 0.1%	ISO-10545-2
Rectangularity	± 0.5%	± 0.1%	ISO-10545-2
Surface flatness	± 0.5%	± 0.2%	ISO-10545-2
Surface quality	Min. 95% defect free	> 95%	ISO 10545-2
Colour difference	Unaltered	Unaltered	ISO-10545-16
Glossiness	> 90 GU	> 94 GU	Gloss meter 60°
STRUCTURAL PROPERTIES			
Water absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.20 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	> 35 N/mm ²	> 40 N/mm ²	ISO-10545-4
Breaking strength	> 1300 N	> 1800 N	ISO-10545-4
Impact resistance (COR)	>0.55	>0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	Declared class	Class PEI 3	EN 154
Surface scratch hardness (Mohs scale)	5	5	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	Test passed in accordance with test method	Pass	ISO-10545-12
Thermal shock resistance	Min. 10 cycle	Pass	ISO-10545-9
Moisture expansion	0.06mm/m	0.01mm/m	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10	Max. 6.5 x 10	ISO-10545-8
Crazing resistance	No damage	No damage	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Min. Class 3	Class 5	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance (COF)	Declared value	> 0.40 dry, <0.40 wet	ISO-10545-17
Reaction to fire	Class A1 or A1 fl	Class A1 - A1fl	N.A

PACKING DETAILS

Size	Thickness	pcs / box	m ² / Box
600x1200mm	9.0mm (Approx)	2 pcs	1.44 Sq.Mtr.

